



WONDERWOODS



Wood Composite Decking

Truly Zero Maintenance Solution

Decking Panels

Wood Composite Decks by Alfresco combine a groundbreaking sustainable design with state-of-the-art production. These panels are manufactured in India by Himalaya Global at their advanced 80,000 sq. ft. production plant. Decking panels are composite decking made of 60% natural timber and 40% recycled polymer, resulting in a wood plastic composite (WPC).

Green Benefits

Alfresco Decks are designed to mimic the appearance of natural wood, requiring zero maintenance. Additionally, as they are primarily made out of recycled material, these decks are eco-friendly.



Eco-Friendly



No Maintenance



SelectDecks are first generation decks, featuring a dual usable surface: one side has thin grooves, while the other side has spaced grooves. Both sides are aesthetically pleasing and functional, allowing for design flexibility.



Rot Resistant



Anti-Slip






SPECIFICATIONS & COLOURS

Panel Size: 24mm x 146mm x 2400mm

Panels per pack: 4

Area per pack: 15.08 sq ft



ACCESSORIES ACCOMPANIED

1. STARTER CLIP



2. CENTRE CLIP



3. FINISHING PROFILE



select

Impression
Deep Embossed Decking

SelectDecks are first generation decks, featuring a dual usable surface: one side has thin grooves, while the other side has spaced grooves. Both sides are aesthetically pleasing and functional, allowing for design flexibility.



Rot Resistant



Anti-Slip



SPECIFICATIONS & COLOURS

Panel Size: 25mm x 146mm x 2400mm

Panels per pack: 4

Area per pack: 15.08 sq ft



ACCESSORIES ACCOMPANIED


1. STARTER CLIP



2. CENTRE CLIP



3. FINISHING PROFILE



TERRA DECK

Terra Deck is a second-generation deck made with co-extrusion technology for superior durability. Each plank has natural color variations and textures that mimic real wood. It features a unique twin-usable surface: one side with a timber texture and the other with sleek grooves, offering versatile design options.



Rot Resistant



Anti-Slip

TERRA DECK



SPECIFICATIONS & COLOURS

Panel Size: 25mm x 146mm x 2400mm

Panels per pack: 4

Area per pack: 15.08 sq ft



BERLIN



OSLO



CYPRESS



ASH



BRAZILIAN WALNUT

ACCESSORIES ACCOMPANIED


1. STARTER CLIP




2. FINISHING PROFILE




Installation Process




- Aluminium Pipes sub frame must require in every 400 mm centre to centre.
- Always use height riser for the deck floor, so that air ventilation under deck floor should be proper.





4mm expansion gap


- Maintain expansion gap. Minimum 4 mm in every 2400mm plank length.



Finishing L - Profile



End Cap Profile





With over 30 years of expertise,
we believe in creating
sustainable spaces by providing
the most premium quality
products and services.



contact@himalayaglobal.in



<https://www.himalayaglobal.in/>



[alfresco_composites](https://www.instagram.com/alfresco_composites)